

bluediamond

welcome to the blue diamond floor matting directory 6

This catalogue contains a comprehensive range of matting solutions for commercial, industrial, retail and leisure applications, including some innovative new products and a dedicated section for the food industry. These products have been carefully selected from reliable sources worldwide, providing consistent quality and availability at competitive prices.

our commitment to customer care

We have an ongoing commitment to provide a loyal service to our dealers and are glad to offer product advice as required. Over 30 years of experience in the matting industry enable us to provide expert sales support and recommend the best solution for a specific application. Many of our clients use our direct despatch service and have goods delivered direct to the end user using plain labelling with guaranteed confidentiality.



end-user catalogues and samples

Trade-friendly copies of this catalogue, in a lightweight A5 format, are available to help you market the full range. These reinforce the Blue Diamond brand but have our contact details removed and are designed to direct end-users to you as the distributor. Please contact us to discuss this initiative. Product samples can also be supplied as required.



Important Notes

- 1) Mat sizes listed are nominal
- 2) The reproduction of colours in this catalogue is as accurate as colour printing processes allow.
- 3) The customer is responsible for determining the suitability of any product for the designed application.


All rights reserved. No part of this publication may be reproduced in any material form (including photocopying or storing it in any medium by electronic means and whether or not transiently, or incidentally to some other use of this publication) without the written permission of the copyright owner. Application for the copyright owner's permission to reproduce any part of this publication should be addressed to Blue Diamond.



entrance mats

Everything you need to stop dirt at the door

Pages 4 – 19



industrial mats

Anti-slip and anti-fatigue matting for industry

Pages 20 – 45



catering mats

Safety, comfort and hygiene for the food industry

Pages 46 – 49



leisure mats

Underfoot comfort and safety for the leisure industry

Pages 50 – 58


entrance mats

It is a recognised fact that 70-80% of interior soiling enters buildings via foot traffic. Good entrance matting systems can dramatically reduce this by stopping dirt at the door – in fact one square metre of matting can hold up to half a litre of excess moisture or remove half a kilo of dirt in a week, significantly reducing cleaning and maintenance costs and preventing slip hazards.

It is recommended that no less than 5 linear metres of matting is required to remove dirt and moisture effectively, allowing each foot to make contact at least 4 times. This can be divided into three definite zones.

- Zone 1 Removal of heavy debris. 40% of dirt and moisture is removed in the first 1.5 metres. This is ideally achieved outside the doorway.
- Zone 2 Fine debris and moisture is simultaneously scraped and wiped off shoes. 20% is removed in this zone.
- Zone 3 Additional wiping mats complete the drying process within approximately 5 metres.

The Blue Diamond entrance mat range combines style and performance, ensuring a good first impression and effective dirt control in any doorway.







Plushway

- Hardwearing all purpose mat for indoor normal traffic areas.
- Durable polypropylene fibres are heat cured into a dense vinyl base.
- Plush pile removes dirt and moisture.
- Easy to clean with vacuum, extraction clean, or simply hose off.
- Low profile 7mm overall height.

Code	Metric	Imperial
PM2436	60cm x 90cm	2' x 3'
PM3648	90cm x 120cm	3' x 4'
PM3660	90cm x 150cm	3' x 5'
PM310	90cm x 300cm	3' x 10'
PM4872	120cm x 180cm	4' x 6'
PM4896	120cm x 240cm	4' x 8'

Custom sizes available: 90cm, 120cm or 180cm wide, up to 18.3m long. See page 18 for details of our edging service.



NEW



Shaped Lustré mats available in diameter/width: 85cm, 115cm and 150cm - please ask for details.



Lustré

- Highly effective wet absorption and dirt trapping action.
- Constructed of nylon twist fibres with nitrile rubber gripper backing and double reinforced borders.
- Range of attractive colours.
- Gripper backing minimises movement on carpeted areas.
- Machine launderable – can also be vacuumed or extraction cleaned, or simply hosed off.
- Low profile 9mm overall height.

Code	Metric	Imperial
LM2436	60cm x 85cm	2' x 3'
LM3648	85cm x 120cm	3' x 4'
LM3660	85cm x 150cm	3' x 5'
LM310	85cm x 300cm	3' x 10'
LM4872	115cm x 180cm	4' x 6'
LM4896	115cm x 240cm	4' x 8'










Brushway

- For indoor light to medium traffic areas.
- Ribbed pattern polypropylene pile carpet bonded to slip resistant vinyl base.
- Simultaneously brushes away dirt and grit and removes moisture.
- Low 7.5mm height allows easy wheelchair access

Code	Metric	Imperial
BM2436	60cm x 90cm	2' x 3'
BM3648	90cm x 120cm	3' x 4'
BM3660	90cm x 150cm	3' x 5'
BM4872	120cm x 180cm	4' x 6'
BM4896	120cm x 240cm	4' x 8'

Custom sizes available: 90cm or 120cm wide, up to 18.3m long. See page 18 for details of our edging service.





Chevron

- Ideal for large entrances and suitable for heavy traffic.
- High quality anti-static polypropylene with distinctive herringbone pattern which provides very aggressive scraping action.
- Strong vinyl backing is slip and stain resistant.
- Overall height 9mm.

Code	Metric	Imperial
CH2436	60cm x 90cm	2' x 3'
CH3660	90cm x 150cm	3' x 5'
CH4872	120cm x 180cm	4' x 6'
CH410	130cm x 300cm	51" x 10'
CH420	130cm x 6m	51" x 20'

Custom sizes available: 130cm or 200cm wide, up to 20m long. See page 18 for details of our edging service.





Aquasorb

- Tough, long lasting mat with raised 'waffle' design that removes dirt and moisture – can hold up to 6 litres per sq m.
- Decalcom fibres bonded to tough rubber base.
- Gripper backing minimises movement on all surfaces and actually raises mat off the floor to allow drying underneath when newly mopped.
- Extremely tough solid rubber borders – a great plus in schools.
- Overall height 10.5mm


Code	Metric	Imperial
AM2436	60cm x 90cm	2' x 3'
AM3648	90cm x 120cm	3' x 4'
AM3660	90cm x 150cm	3' x 5'
AM4872	120cm x 180cm	4' x 6'



Aquasorb Super

- Heavy duty carpet mat constructed to withstand the heaviest foot traffic and maintain good looks.
- Efficient water and dust retention – can hold up to 6 litres per sq m.
- Raised edges prevent water tracking onto surrounding floors.
- Unique moulded rubber backing resists movement on carpets and hard floors.
- Anti-microbial treated to prevent germs entering buildings.
- Overall height 13mm.

Code	Metric	Imperial
AS2436	60cm x 90cm	2' x 3'
AS3660	90cm x 150cm	3' x 5'
AS4872	120cm x 180cm	4' x 6'
AS410	120cm x 300cm	4' x 10'






Dualguard Super

- Dual scraping and wiping functions.
- Made with monofilament and high twist nylon fibres laid in stripe pattern.
- High quality and very effective
- Fully launderable and suitable for industrial applications where heavy soiling will occur.
- Gripper backing.
- UV resistant and extremely colourfast.
- Overall height 8mm.


Code	Metric	Imperial
DS3679	85cm x 200cm	3' x 79"
DS4879	115cm x 200cm	4' x 79"
DS6079	150cm x 200cm	5' x 79"
DS7979	200cm x 200cm	79" x 79"



Tripleguard

- Ideal for medium/light usage, particularly for through-traffic areas where shoes are not actually being wiped.
- 1 mat – 3 cleaning operations:
 - Zone 1:** Aggressively scrapes shoe soles
 - Zone 2:** Combined scraping and wiping action
 - Zone 3:** Completion of drying process.
- Attractive colour co-ordinated borders with slip resistant vinyl backing.
- Low 8mm height allows easy wheelchair access.

Code	Metric	Imperial
TG310	90cm x 300cm	3' x 10'
TG412	120cm x 360cm	4' x 12'
TG612	180cm x 360cm	6' x 12'







Dayton

- Economically priced all purpose mat ideal for medium duty applications.
- Polypropylene fibres bonded to a vinyl backing.
- Range of attractive dirt-hiding mottled colours.
- Easy to clean with vacuum or extraction clean.
- Overall height 7mm.





Code	Metric	Imperial
DT2436	60cm x 90cm	2' x 3'
DT3648	90cm x 120cm	3' x 4'
DT3660	90cm x 150cm	3' x 5'
DT4872	120cm x 180cm	4' x 6'
DT4896	120cm x 240cm	4' x 8'



Washington

- Economically priced machine washable mat for medium duty applications.
- 100% polyamide with PVC backing.
- Also easy to clean with vacuum, extraction cleaner or simply hose off.
- Overall height 9mm.

Code	Metric	Imperial
WA2436	60cm x 90cm	2' x 3'
WA3648	90cm x 120cm	3' x 4'
WA3660	90cm x 150cm	3' x 5'
WA4872	120cm x 180cm	4' x 6'








Richmond

- Highly absorbent cotton wiper mat, ideal for general purpose use.
- Real cotton fibres bonded to a vinyl backing.
- Available in a range of attractive flecked colours.
- Machine washable.
- Overall height 6mm.

Code	Metric	Imperial
RD2436	60cm x 90cm	2' x 3'
RD3660	90cm x 150cm	3' x 5'



Lexington

- Highly absorbent economy cotton wiper mat.
- Real cotton fibres bonded to a latex backing.
- Available in a range of attractive flecked colours.
- Machine washable
- Borderless with radius corners
- Overall height 5mm

Code	Metric	Imperial
LX2232	50cm x 80cm	22" x 32"
LX3648	90cm x 120cm	36" x 48"










Decorguard

- Extremely durable carpet flooring, suitable for wall-to-wall applications in public buildings.
- 100% polypropylene ribbed carpet with synthetic rubber backing.
- Excellent water retention and scraping action.
- Maintains appearance over a long period.
- Suitable for mat wells and loose-lay with applied bevel edging.
- Overall height 11mm.

Code	Size
DG79	2m wide, cut lengths up to 20m

See page 18 for our edging service.



PVC Backed Coir

- The time-proven traditional entrance matting material for indoor matwells and foyer areas.
- Exceptional moisture and dirt trapping properties with brush like action on shoe soles.
- Mats can be cut to any size and do not require edge binding.
- Can be inlaid with logos or messages (see Footprints page 13).

Code	Thickness	Colour
CO17	17mm	Natural





Logo Entrance Mats

Printed mats offer excellent opportunities for corporate marketing and endless possibilities to get the message across on the floor where it will be noticed most. Special manufacturing and printing processes are used to achieve high definition images with maximum impact and performance.


- Heavy duty nylon pile with anti-slip nitrile rubber backing.
- Machine washable at 40°C.
- Jet dyed for permanent high resolution image.

Metric	Imperial
60cm x 85cm	2' x 3'
85cm x 120cm	3' x 4'
85cm x 150cm	3' x 5'
115cm x 180cm	4' x 6'
115cm x 240cm	4' x 8'
150cm x 250cm	5' x 8'



How to order

- 1) State the quantity, size and configuration (landscape or portrait) of the mats required and supply suitable artwork.
- 2) Once the order is confirmed, a full colour proof will be submitted by e-mail for approval. Colours will be matched as closely as possible from the standard colour range.
- 3) Once any alterations are completed and the design is approved, mats are scheduled for production.





The FOOTPRINTS Promotional Mat Range

The FOOTPRINTS division of Blue Diamond offers one of the most comprehensive ranges of printed mats available in the UK and is particularly suited to large quantities. From single colour logos through to full colour photo quality, there is a product to suit almost any application. The range covers household mats, commercial entrance mats, plus point-of-sale, bartop and exhibition mats.....we can even print onto artificial grass.

For more details, please request a copy of the Footprints brochure.





Octaguard

- A versatile heavyweight rubber mat for demanding entrance areas and many other outdoor uses.
- Raised nibs on underside allow excellent drainage.
- Optional inserts brushes increase scraping action and can be used to create logos or messages.
- Connectors available to form large areas.
- Overall height (excluding brushes) 23mm.

Code	Metric	Imperial
OG2039	50cm x 100cm	20" x 39"
OG3039	75cm x 100cm	30" x 39"
OG3959	100cm x 150cm	39" x 59"
OGC	Connector	
OGB	Insert brushes. (red, blue, green, yellow, black, grey)	



Suitable for wheelchair access

NEW

Bevelled version available

Octaguard Profile

- Lower profile alternative to Octaguard with small 14mm holes.
- Ideal for wheeled traffic and suitable for public entrance areas.
- Raised nibs on underside allow excellent drainage.
- Connectors available to form large areas.
- Ideal for matwells.
- Overall height 12.5mm.

Code	Metric	Imperial
OP3039	75cm x 100cm	30" x 39"
OP3959	100cm x 150cm	39" x 59"
OPC	Connector	
OPB2836	70cm x 90cm Bevelled Mat	
OPB3660	90cm x 150cm Bevelled Mat	
OPB4872	120cm x 180cm Bevelled Mat	






Sentry

- Loose lay honeycomb rubber mat ideal for busy entrances.
- Moulded bevels on all sides for safety.
- Raised knobs on underside allow excellent drainage.
- Overall height 13mm.

Code	Metric	Imperial
SE3660	91cm x 152cm	3' x 5'
SE310	91cm x 297cm	3' x 10'
SE320	91cm x 594cm	3' x 20'



Soilscraper

- High traction mat designed to remove dirt and grit in demanding conditions.
- Anti-skid underside grip pattern.
- Low profile edge detail.
- Overall height 7mm.

Code	Metric	Imperial
SO3660	90cm x 150cm	3' x 5'



Safety Scrape

- Nitrile rubber mat offering heavy dirt and swarf removal and exceptional grip.
- Anti-slip gripper backing.
- Overall height 5mm

Code	Metric	Imperial
SS2436	60cm x 90cm	2' x 3'
SS3660	85cm x 150cm	3' x 5'
SS310	85cm x 300cm	3' x 10'
SS4872	113cm x 180cm	4' x 6'
SS410	113cm x 300cm	4' x 10'



Ideal for swarf removal in workshop entrances



Fingerbrush

- Designed for external use and withstands weather extremes and heaviest foot traffic.
- Thousands of flexible rubber bristles clean shoes fast.
- Anti-trip bevels and anti-slip underside detail to prevent mat movement.
- Overall height 14mm.


Code	Metric	Imperial
FB2432	60cm x 80cm	24" x 32"
FB3239	80cm x 100cm	32" x 39"
FB3672	90cm x 180cm	3' x 6'



Scraper

- Vinyl loops provide aggressive cleaning action for medium/heavy traffic.
- Slip resistant vinyl base, ideal for use on hard floors, inside or out.
- Can be used in extreme weather conditions.
- Easily cleaned by shaking or hosing off.
- Overall height 7mm.

Code	Metric	Imperial
SC2436	60cm x 90cm	2' x 3'
SC3648	90cm x 120cm	3' x 4'
SC3660	90cm x 150cm	3' x 5'
SC4872	120cm x 180cm	4' x 6'
SC4896	120cm x 240cm	4' x 8'






Sticky Step Plastic

- Ideal for maintaining clean room and laboratory standards.
- Anti-microbial adhesive surface removes dirt from shoes, wheels, etc. on contact.
- 30 peel-off layers for maintaining a clean, fully effective mat at all times.
- Bottom layer adheres to any clean, dry floor.
- 4 mats per pack.
- Overall height 2mm.

Code	Metric	Imperial
SP1845	48cm x 110cm	18" x 45"
SP2436	60cm x 90cm	2' x 3'
SP3660	90cm x 150cm	3' x 5'



Sticky Step Textile

- Heavy duty textile based layers capture large amounts of dust and dirt.
- 36 peel-off resin impregnated layers.
- Strong plastic surround withstands heavy traffic.
- Each layer contains an effective biocide.
- Overall height 10mm.

Code	Metric	Imperial
ST2436 (2 mats)	60cm x 90cm	2' x 3'
ST3641 (2 mats)	90cm x 104cm	3' x 41"
ST3660 (1 mat)	90cm x 150cm	3' x 5'



Rug-to-Rug

- Keeps mats flat for extra safety.
- Protects carpet against pile destruction caused by friction with the mat backing.
- Ideal for carpet-to-carpet applications.

Code	Metric	Imperial
RR3198	80cm x 30m	31" x 98'
RR4798	120cm x 30m	47" x 98'
Cut lengths available - please enquire		



Nature Grip

- Keeps mats in place on smooth surfaces.
- Tough polypropylene fabric coated with natural rubber.
- Grid pattern eliminates mildew growth under mats.

Code	Metric	Imperial
NG3198	80cm x 30m	31" x 98'
NG4798	120cm x 30m	47" x 98'
Cut lengths available - please enquire		

Edging Service

A professional edging service is available for custom sized mats to provide a safe, clean bevelled edge. There is a choice of three different nosing profiles, to suit the various mat types.

Alternatively, nosing can be supplied in complete rolls or cut lengths along with a compatible adhesive. This allows a factory-finished look to be achieved.





Desk Mat

- Provides long term protection to floors under and around desks.
- Practical keyhole shape.
- Heavy duty vinyl with ramped edges for easy chair movement.
- Translucent design allows flooring to show through.
- Gripper back to prevent creeping on carpets.
- Overall height 3mm.



Code	Metric	Imperial
DC4053	114cm x 135cm	40" x 53"



Carpet Protector

- Attractive glass-clear PVC overlay matting to protect carpets in higher traffic areas.
- Easy to clean.
- Slip resistant gripper backing to prevent movement on carpets.
- Available in complete rolls or custom lengths.

Code	Metric	Imperial
CPV27	68.5cm x 30m	27" x 100'
Cut lengths available - please enquire		

Self-adhesive Protection Film

- Designed for temporary protection of floors during maintenance work.
- Can be laid in seconds and simply peeled up at the end of the job.
- Heavy duty 100mu grade.
- Waterproof and durable.
- Ideal for safe stair protection.
- Carpet or hard floor types available.

Code	Usage	Metric	Imperial
PFC24	Carpet	60cm x 100m	2' x 328'
PFH24	Hard Floor	60cm x 100m	2' x 328'




industrial mats

Standing for long periods of time on cold, hard floors causes general fatigue plus a host of other health complaints. These conditions, coupled with slips, trips and falls lead to decreased productivity, absenteeism and ultimately cost employers millions each year. Blue Diamond industrial mats are designed to reduce these occupational risks to a minimum and create a safe, comfortable working environment.

Up to 80% of workers who stand at work suffer from backache, headaches, poor circulation or knee and foot problems. Research has proved that using an anti-fatigue mat during an 8 hour period reduces tiredness and increases comfort by 50% in comparison to a hard floor. The matting encourages posture change and insulates the feet from temperature extremes and vibration, often reducing levels of absenteeism by up to 30%.

20% of accidents in the workplace are caused by slips, trips and falls. Anti-slip surfacing or raised duckboards can eliminate these risks by keeping feet off wet, slippery floors.

Breakage of delicate items and tools can be costly and troublesome to clean up. Matting can be utilised to protect both floors and equipment.








Kumfi Rib

- Light duty anti-fatigue mat for use in dry areas.
- Closed cell PVC sponge relieves leg and back discomfort.
- Ribbed surface and anti-trip bevels for safety.
- Overall height 9.4mm




	Code	Metric	Imperial
Mats	KR2436	60cm x 90cm	2' x 3'
	KR3660	90cm x 150cm	3' x 5'
	KR310	90cm x 300cm	3' x 10'
	KR4872	120cm x 180cm	4' x 6'
Rolls	KR260	60cm x 18.3m	2' x 60'
	KR360	90cm x 18.3m	3' x 60'
	KR375	90cm x 23m	3' x 75'
	KR460	120cm x 18.3m	4' x 60'
Cut lengths	KR24	60cm wide	2' wide
	KR36	90cm wide	3' wide
	KR48	120cm wide	4' wide



Kumfi Pebble

- Light-duty industrial anti-fatigue mat available with yellow safety borders.
- For use in dry areas.
- Closed cell vinyl foam with pebble surface for traction.
- Anti-trip bevel edges.
- Overall height 9.4mm

	Code	Metric	Imperial
Mats	KP2436	60cm x 90cm	2' x 3'
	KP3660	90cm x 150cm	3' x 5'
	KP310	90cm x 300cm	3' x 10'
	KP4872	120cm x 180cm	4' x 6'
Rolls	KP260	60cm x 18.3m	2' x 60'
	KP360	90cm x 18.3m	3' x 60'
	KP375	90cm x 23m	3' x 75'
	KP460	120cm x 18.3m	4' x 60'
Cut lengths	KP24	60cm wide	2' wide
	KP36	90cm wide	3' wide
	KP48	120cm wide	4' wide









Kumfi Diamond

- Extra thick mat with chequer pattern surface and bevelled edges, providing excellent worker comfort and safety.
- Tough vinyl Dyna-Shield coating provides 50% more wear resistance.
- For medium duty industrial use in dry areas.
- Overall height 12.7mm.

	Code	Metric	Imperial
Mats	KD2436	60cm x 90cm	2' x 3'
	KD3660	90cm x 150cm	3' x 5'
Rolls	KD260	60cm x 18.3m	2' x 60'
	KD360	90cm x 18.3m	3' x 60'
	KD460	120cm x 18.3m	4' x 60'

Custom sizes available: 60cm, 90cm or 120cm wide, up to 18.3m long.



Kumfi Bubble

- Identical to Kumfi Diamond but with unique bubble design.
- Tough vinyl Dyna-Shield coating provides 50% more wear resistance.
- For medium duty industrial use in dry areas.
- Overall height 12.7mm.

	Code	Metric	Imperial
Mats	KB2436	60cm x 90cm	2' x 3'
	KB3660	90cm x 150cm	3' x 5'
Rolls	KB260	60cm x 18.3m	2' x 60'
	KB360	90cm x 18.3m	3' x 60'
	KB460	120cm x 18.3m	4' x 60'

Custom sizes available: 60cm, 90cm or 120cm wide, up to 18.3m long.








Kumfi Tough

- Premium vinyl sponge matting for dry areas in heavy duty industrial environments.
- Slip resistant deckplate top surface bonded to dense sponge base for optimum worker comfort.
- Yellow edge option for safety awareness.
- Overall height 14.3mm.

	Code	Metric	Imperial
Mats	KU2436	60cm x 90cm	2' x 3'
	KU3660	90cm x 150cm	3' x 5'
	KU310	90cm x 300cm	3' x 10'
	KU320	90cm x 6m	3' x 20'
Rolls	KU275	60cm x 23m	2' x 75'
	KU375	90cm x 23m	3' x 75'
	KU475	120cm x 23m	4' x 75'

Custom sizes available: 60cm, 90cm or 120cm wide, up to 23m long.



Kumfi Tough Super

- Super thick alternative to Kumfi Tough, offering extreme level of comfort.
- Slip resistant deckplate top surface bonded to dense sponge base.
- Yellow edging option for safety awareness.
- Overall height 25.4mm.

	Code	Metric	Imperial
Mats	KS3660	60cm x 150cm	3' x 5'
	KS310	90cm x 300cm	3' x 10'
	KS320	90cm x 6m	3' x 20'
Rolls	KS375	90cm x 23m	3' x 75'
	KS475	120cm x 23m	4' x 75'

Custom sizes available: 90cm or 120cm wide, up to 23m long.






Texture Top

- Embossed anti-slip rubber top surface bonded to closed-cell rubber foam base.
- Bevelled on all four sides for safety.
- For heavy duty use in dry industrial environments.
- Ideal for welding areas.
- Fire classification Dfl-s I tested according to DIN EN ISO 13501.
- Overall height 12.7mm.

	Code	Metric	Imperial
Mats	TT2436	60cm x 90cm	2' x 3'
	TT3660	90cm x 150cm	3' x 5'
Rolls	TT275	60cm x 23m	2' x 75'
	TT375	90cm x 23m	3 x 75'
	TT475	120cm x 23m	4' x 75'
Cut lengths	TT24	60cm wide	2' wide
	TT36	90cm wide	3' wide
	TT48	120cm wide	4' wide



Anti-slip embossed surface



Diamond Interlock

- Tough, interlocking rubber mats for simple on-site installation in dry industrial environments.
- Provides easy relocatable continuous lengths, suitable for medium duty use.
- Trip resistant bevels on all sides.
- Deckplate design and moulded air pockets provide traction and ergonomic benefits.
- Overall height 12.7mm

Code	Metric	Imperial
DC2831 (Centre tiles)	71cm x 79cm	28" x 31"
DE2831 (End tiles)	71cm x 79cm	28" x 31"







Ergotred

- A versatile anti-fatigue mat providing superb worker comfort at a very economical price.
- Manufactured from heavy duty flexible rubber with bevelled yellow safety edges and suction cup backing.
- Domed surface texture designed to improve circulation and provide comfortable massaging effect.
- Suitable for heavy industrial use in dry areas.
- Overall height 15mm.

Code	Metric	Imperial
ER3648	90cm x 120cm	3' x 4'



Hygimat

- Resilient rubber anti-fatigue mat, suitable for non-greasy food preparation areas.
- Underside suction cups and bevelled edges for safety.
- Easy-clean solid surface with no holes or cavities for bacteria to hide.
- Drainage grooves allow liquids and debris to escape, leaving surface clean.
- Overall height 12mm.

Code	Metric	Imperial
HM3648	90cm x 120cm	3' x 4'






Cushion Link Solid Top

- The ultimate for ergonomic comfort and safety in heavy duty dry industrial applications.
- Mats can be interlocked and edged using the simple bevel system to create any mat size and shape.
- Anti-slip pebble texture surface with unique underside design provides superb anti-fatigue properties.
- Compatible with Cushion Link Open Top system (see page 27).
- Manufactured from high quality resilient rubber compounds, resistant to extreme temperatures and most chemicals.
- Overall height 19mm.


Code	Type	Size
CLS36GP	General Purpose	91cm x 91cm
CLS36N	Nitrile	91cm x 91cm
CLS36NFR	Nitrile FR	91cm x 91cm
CLS36NFRA	Nitrile FR Abrasive	91cm x 91cm
CLS36SNFR	Static Dissipative Nitrile FR	91cm x 91cm
CLS36CNFR	Conductive Nitrile FR	91cm x 91cm
CL36BB	Black Bevel	91cm long
CL36YB	Yellow Bevel	91cm long



See pages 39-41 for other electrical safety products

Ramp System

Male and female attachable bevels available in black or yellow.



Available in six types as listed.

General Purpose

- General purpose rubber compound.

Nitrile Rubber

- 75% nitrile rubber compound, grease resistant.

Nitrile Rubber FR

- 100% nitrile rubber compound, oil proof and fire retardant, suitable for welding areas.

Nitrile Rubber FR Abrasive Coating

- 100% nitrile rubber compound, oil proof and fire retardant, suitable for welding areas.
- Abrasive coating for extremely slippery areas (slip resistant RB according to DIN51130).

Static Dissipative Nitrile Rubber FR

- 100% nitrile rubber compound.
- Static dissipative - meets IEC61340-4-1, measured resistance $R_g 10^6-10^9 \Omega$, $R_p 10^6-10^9 \Omega$.

Conductive Nitrile Rubber FR

- 100% nitrile rubber compounds.
- Conductive - meets IEC61340-4-1, measured resistance $R_g 10^6-10^9 \Omega$, $R_p 10^6-10^9 \Omega$.



Cushion Link Open Top




- Superb ergonomic comfort and safety in heavy duty dry or wet industrial applications, including food areas.
- Mats can be interlocked and edged using the simple bevel system to create any mat size and shape.
- Open top allows liquids to drain away, leaving a safe work surface.
- Compatible with Cushion Link Solid Top system (see page 26).
- Manufactured from high quality resilient rubber compounds, resistant to extreme temperatures and most chemicals.
- Overall height 19mm.

Code	Type	Size
CLO36GP	General Purpose	91cm x 91cm
CLO36N	Nitrile FR	91cm x 91cm
CLO36BR	Brake Fluid Resistant	91cm x 91cm
CLO36NAB	Nitrile Anti-bacterial	91cm x 91cm
CLO36NR	Nitrile Red	91cm x 91cm
CLO36NFRA	Nitrile FR Abrasive	91cm x 91cm
CL36BB	Black Bevel	91cm long
CL36YB	Yellow bevel	91cm long
CL36RB	Red bevel	91cm long



Ramp System

Male and female attachable bevels available in black, yellow or red.



Available in six types as listed.

General Purpose

- General purpose rubber compound.

Nitrile Rubber FR

- 100% nitrile rubber compound, oil proof and fire retardant, suitable for welding areas.

Brake Fluid Resistant FR

- 100% EPDM rubber compound, brake fluid resistant.

Nitrile Rubber Anti-Bacterial

- Anti-bacterial 100% nitrile rubber compound, suitable for use in food processing plants.

Nitrile Red Rubber

- 75% nitrile rubber compound, grease resistant, suitable for contact with vegetable oil and animal fats in food service applications.

Nitrile Rubber FR Abrasive Coating


- 100% nitrile rubber compound, oil proof and fire retardant, suitable for welding areas.
- Abrasive coating for extremely slippery areas. (Slip resistance R13 according to DIN 51130).



Oilzone

- High quality anti-fatigue duckboard matting for wet or dry industrial use.
- Made from 100% nitrile rubber, designed to withstand industrial oils and harsh chemicals.
- Drainage holes and raised studs allow fluids and debris to fall through, leaving a clear top surface.
- Aggressive slip resistant surface.
- Highly visible orange bevelled borders on three sides for safety.
- Can be simply cleaned with detergent or water-jet.
- Overall height 22mm.


Code	Description	Size
OZ2640	Bevelled Mat	66cm x 102cm
OZ3864	Bevelled Mat	97cm x 163cm
OZ310	Bevelled Mat	97cm x 315cm



Oilzone Custom

- Interconnectable straight-edged version of Oilzone, allowing any size and shape to be created.
- Ideal for covering large areas.
- Effective connector strip and bevel system can be applied on site and simply adapted for inside or outside corners.

Code	Description	Size
OC3660	Un-edged Mat	91cm x 152cm
OC36B	Orange Bevel	91cm long
OC60B	Orange Bevel	152cm long
OC12C	Connector	30cm long





Tuffzone

- Heaviest grade of PVC matting custom built to individual requirements in any shape or size.
- Suitable for the most demanding industrial applications, in wet or dry areas.
- Reinforced structure designed to withstand wheeled trucks.
- Mats are plastic welded together, ensuring highest possible joint strength.
- Three year warranty against manufacturers defects.
- Overall height 22mm.

Component	Metric	Imperial
Tile	30.48cm x 30.48cm	1' x 1'
Ramp Edge	15.24cm x 30.48cm	6" x 1'
Corner Ramp	15.24cm x 15.24cm	6" x 6"



Surestep version available with abrasive anti-slip coating, designed for extremely slippery areas.








Figure 1 : Custom shapes

Figure 2 : Draw a sketch

Figure 3 : The pieces

Guide for ordering custom size matting

- Each of the products can be custom-designed for a specific work station (See figure 1) or used in continuous lengths.
- Ramp edges can be specified for any or all sides as required.
- Mat is factory assembled (Extra large mats are made in sections to facilitate shipping and handling).
- To order, provide a simple sketch that illustrates the shape, dimensions and ramped edges (See figure 2).
- See figure 3 for dimensions of components.
- If you plan to add to your mat at a later date, please specify when ordering.

Available in four types as illustrated above.

520HD - Heavy duty

- Perforated to facilitate drainage of spills.
- Weight 15.8 kg per m².

522HD - Heavy duty with Surestep

- Perforated to facilitate drainage of spills.
- With Surestep abrasive coating.
- Weight 15.8 kg per m².

920HD - Heavy duty solid

- Closed top.
- Weight 16.2 kg per m².

922HD - Heavy duty solid with Surestep

- Closed top.
- With Surestep abrasive coating.
- Weight 16.2 kg per m².



Workzone

- Multi-purpose duckboard type mat with safety anti-slip surface and bevels on all sides.
- Honeycomb design allows liquids to disperse quickly, leaving surface clear.
- Easy to handle for cleaning purposes.
- Overall height 13mm

Available in two types as listed



Standard Black

- Suitable for heavy duty industrial use in wet or dry areas.

Red or Blue

- 75% nitrile grease resistant rubber suitable for use in food service applications.

Code	Metric	Imperial
WZ3660	91cm x 152cm	3' x 5'
WZ310	91cm x 297cm	3' x 10'
WZ320	91cm x 594cm	3' x 20'






Workzone Deluxe

- Tough rubber duckboard matting, offering exceptional comfort and safety in heavy duty applications.
- Straight edges allow mats to be joined in both directions using connectors, to cover large areas around machinery.
- Drainage holes and raised studs allow fluid and debris to fall through, leaving a clear surface.
- Designed to withstand harsh chemicals and yield a long service life.
- Aggressive slip-resistant surface.
- Overall height 20mm

Available in two types as listed

Standard Black - Suitable for heavy duty industrial use in wet or dry areas.

Red or Blue - 75% nitrile grease resistant rubber suitable for use in food areas.



Code	Colour	Size
WD3660	Mat	91cm x 152cm
WDC	Connector - Black	
WD36B	Bevel - Yellow 91cm long	
WD60B	Bevel - Yellow 152cm long	



Bevel System. Attachable vinyl bevels are available in two sizes. These can be supplied with internal or external corners, or straight ends to suit individual requirements. A simple sketch, showing dimensions and positions of bevels will ensure that appropriate components are supplied.



Cellmax

- Economical rubber duckboard matting, offering comfort and safety at a very economical price.
- Straight edges allow mats to be joined in both directions using connectors, to cover large areas around machinery.
- Drainage holes and raised studs allow fluid and debris to fall through, leaving a clear surface.
- Designed to withstand industrial use over a long period.
- Cellular slip-resistant surface.
- Overall height 23mm

Code	Colour	Size
CM3959	Mat	100cm x 150cm
CMC	Connector - Black	





Ergomax Super

- 100% nitrile cushioned rubber.
- Lightweight and easy to clean.
- Exceptional comfort and anti-fatigue properties.
- Anti-slip backing and bevels on all four sides.
- Anti-microbial properties help to prevent mould, mildew and bacteria.
- Closed cell foam construction helps prevent absorption of liquids.
- Overall height 20mm.

Code	Metric	Imperial
EX3660	89cm x 148cm	3' x 5'
EX310	89cm x 296cm	3' x 10'



Ecosorb

- Nitrile rubber duckboard mats with replaceable sorbent, for medium duty use in wet or oily industrial environments.
- Rough gripper surface and raised ramps hold sorbent firmly in place.
- Bubble design and moulded air pockets provide basic fatigue relief.
- Overall height 12.7mm.

Code	Metric	Imperial
ES3660 (Mat)	87cm x 157cm	3' x 5'
ES3660R (Refill)	(To suit above mat)	





Safety Scrape

- 100% nitrile rubber mat, providing superb anti-slip traction, even in wet or oily areas.
- Moulded scrapers remove heavy dirt and swarf from shoes.
- Ideal for heavy industrial and catering applications.
- Easy to clean, simply hose off.
- Ultra low profile 5mm height.



Code	Metric	Imperial
SS2436	60cm x 90cm	2' x 3'
SS3660	85cm x 150cm	3' x 5'
SS310	85cm x 300cm	3' x 10'
SS4872	113cm x 180cm	4' x 6'
SS410	113cm x 300cm	4' x 10'



Happy Feet

- Solid top anti-fatigue mat, resistant to chemicals, animal fats, machine oils and petroleum products.
- Dense cushion core, encapsulated in solid 100% nitrile rubber for heavy industrial use including welding areas.
- Bevelled borders and gripper backing.
- Safe for use in computer rooms and other static sensitive areas.
- Overall height 12mm.

Code	Metric	Imperial
HF2436	58cm x 85cm	2' x 3'
HF3660	85cm x 150cm	3' x 5'
HF310	85cm x 300cm	3' x 10'
HFC3660	85cm x 150cm (Centre Section)	
HFE3660	85cm x 150cm (End Section)	






Interflex

- Traditional grid welded PVC duckboard matting for medium duty industrial and commercial use.
- Oil, grease and chemical resistant recycled PVC with anti-slip surface.
- Connector clips for side or end joining.
- Overall height 12.5mm

See page 53 for Interflex Leisure matting

	Code	Metric	Imperial
Rolls	IF1633	40cm x 10m	16" x 33'
	IF2033	50cm x 10m	20" x 33'
	IF2433	60cm x 10m	24" x 33'
	IF3233	80cm x 10m	32" x 33'
	IF3933	100cm x 10m	39" x 33'
	IF4733	120cm x 10m	47" x 33'
	IFC	Connectors	
Cut lengths	IF24	60cm wide	24" wide
	IF32	80cm wide	32" wide
	IF39	100cm wide	39" wide
	IF47	120cm wide	47" wide





Now available in 4 colours

Wear Resistance

Slip Resistance

Anti Fatigue



Interflex Hazard

- Hardwearing black PVC matting with high visibility yellow strips down each side for workplace safety.
- Suitable for medium duty industrial use.
- Oil, grease and chemical resistant.
- Connector clips available for side or end joining.
- Overall height 12.5mm

	Code	Metric	Imperial
Rolls	IH2433	60cm x 10m	24" x 33'
	IH3233	80cm x 10m	32" x 33'
	IH3933	100cm x 10m	39" x 33'
	IH4733	120cm x 10m	47" x 33'
	IFC	Connectors	
Cut lengths	IH24	60cm wide	24" wide
	IH32	80cm wide	32" wide
	IH39	100cm wide	39" wide

Wear Resistance

Slip Resistance



Anti Fatigue



Interflex Glow

- Duckboard matting with photo-luminescent safety stripes to highlight escape routes in emergencies and times of sudden darkness.
- Suitable for medium duty industrial applications.
- Grid welded PVC construction provides worker comfort and allows liquids to drain away.
- Connector clips available for side or end joining.
- Overall height 12.5mm

	Code	Metric	Imperial
Rolls	IP2433	60cm x 10m	24" x 33'
	IP3233	80cm x 10cm	32" x 33'
	IP3933	100cm x 10m	39" x 33'
	IFC	Connectors	
Cut lengths	IP24	60cm wide	24" wide
	IP32	80cm wide	32" wide
	IP39	100cm wide	39" wide



Interflex Grip

- Extremely tough duckboard matting with aggressive anti-slip surface, suitable for heavy duty industrial use.
- Made from recycled plastic and synthetic rubber, resistant to most acids, oils and industrial chemicals.
- Open grid construction offers fatigue relief and allows liquids and swarf to disperse safely.
- Overall height 21mm.

	Code	Metric	Imperial
Rolls	IG2433	60cm x 10m	24" x 33'
	IG3233	80cm x 10m	32" x 33'
	IG3933	100cm x 10m	39" x 33'
Cut lengths	IG24	60cm x 10m	24" wide
	IG32	80cm x 10m	32" wide
	IG39	100cm x 10m	39" wide






Kumfi Tile PVC

- Versatile interlocking duckboard tile system with high grip surface suitable for indoor and outdoor dry or wet areas.
- Soft PVC construction provides anti-fatigue comfort but withstands most commercial and industrial applications including hospitals, hotels, exhibitions and light workshop use.
- Free-draining and resistant to a wide range of oils, grease and chemicals.
- Easy to clean - simply unclips into small sections.
- Overall height 12mm.

Code	Description	Metric	Imperial
KT1212	Tile	30cm x 30cm	12" x 12"
KT1202	Bevel Edge	30cm x 5cm	12" x 2"



- Simple and effective interlocking system ensures a firm, quick joint which can be easily, but not accidentally released.
- Bevelled edge component moulded with corner section which can be simply removed with a sharp knife when not required.
- Can be laid to fit awkward shapes in any colour combination.
- System allows rapid extension or adaption of work areas and individual damaged tiles can be easily replaced.



Kumfi Tile PVC Ruby Red
Shown with Topaz Yellow edging

Kumfi Tile Polyethylene

- Interlocking duckboard system, similar to PVC version but more rigid and advantageously priced - ideal for covering large areas economically.
- Ideal for packing stations, walkways and light duty industrial applications.
- Compatible with PVC bevel system.
- Enhanced chemical resistance.

Code	Description	Metric	Imperial
KTP1212	Tile	30cm x 30cm	12" x 12"
KT1202	Bevel Edge	30cm x 5cm	12" x 2"



Polyethylene Tiles available in black only. Compatible with PVC bevel system.



Rubber Rib Mat

- Low cost surface covering, suitable for industrial flooring, aisles, work benches and vehicle interiors.
- 100% rubber with fine ribbed surface for sure footing and easy cleaning.

	Code	Thickness	Size
Rolls	RR391	3mm	91cm x 10m
	RR3122	3mm	122cm x 10m
	RR691	6mm	91cm x 10m
	RR6122	6mm	122cm x 10m
Cut lengths	RR391C	3mm	91cm wide
	RR3122C	3mm	122cm wide
	RR691C	6mm	91cm wide
	RR6122C	6mm	122cm wide




Plate Finish Rubber


- General purpose grade smooth rubber, ideal for waterproof seals and gaskets.
- 68 degrees shore A hardness.
- Tensile strength at break 3.0 Mpa
- Available in two thicknesses.

	Code	Thickness	Size
Rolls	PR3140	3mm	140cm x 10m
	PR6140	6mm	140cm x 10m
Cut lengths	PR3140C	3mm	140cm wide
	PR6140C	6mm	140cm wide

Chequer Plate Runner

- Durable PVC flooring with rugged chequerplate pattern for non-directional anti-slip in industrial applications.
- Ideal for shelf liners, workbenches and near machines to prevent objects sliding.
- Overall height 4.7mm

	Code	Size	Imperial
Rolls	CR375	91cm x 22.8m	3' x 75'
	CR475	122cm x 22.8m	4' x 75'
Cut lengths	CR36	91cm wide	3' wide
	CR48	122cm wide	4' wide






Rib Mat Electrical

- Non-conductive rubber safety matting designed to provide insulation and protect workers from electric shock.
- New high-voltage version to comply with latest European regulations
- Slip resistant ribbed surface.
- Tested to BSEN61111 (2009) Class 0 (superceding BS921), for mechanical puncture resistance, slip resistance, ageing, flame retardancy, acid and oil resistance.
- Tested to 5000 volts
- Working voltage 1000 volts
- Overall thickness 6mm

	Code	Size
Rolls	RE691	91cm x 10m
	RE6100	100cm x 10m
	RE6122	122cm x 10m
Cut lengths	RE691C	91cm wide
	RE6100C	100cm wide
	RE6122C	122cm wide



ASTM Switchboard Matting

- Non-conductive PVC compound, designed to provide insulation and protect workers from electric shock.
- Slip resistant ribbed surface.
- Each square inch of matting tested in conformance with ANSI/ASTM D-178 specifications.
- Class 2 - Dielectric Strength 30,000 volts.
- Proof test 20,000 volts.
- Recommended maximum usage 17,000 volts.
- Overall height 6.4mm

Code	Description	Size
SM375	Roll	91cm x 22.8m
SM36	Cut lengths	91cm wide







Conductive Anti-static Matting

- ESD Kumfi Pebble and ESD Kumfi Tough are formulated to dissipate static electricity.
- Simple worker tasks - working, walking or even sitting on certain types of stools - creates static electric.
- Left unchecked, static can discharge into static sensitive equipment, potentially causing damage.
- Conductive/Anti-static matting drains static from workers, preventing unpleasant static shocks and safeguarding equipment.

ESD Kumfi Pebble

- Anti-fatigue vinyl sponge matting designed to provide anti-static protection in light duty applications.
- Ideal for assembly lines, computer rooms, hospitals and photocopy areas.
- Meets IEC61340-4-1 (category D1F) measured resistance Rg 10⁶-10⁹Ω, Rp 10⁶-10⁹Ω.
- Electrostatic charge (walking test) meets ISO6356 and EN1815.
- Overall height 9.4mm.

	Code	Metric	Imperial
Mats	EP2436	60cm x 91cm	2' x 3'
	EP3660	91cm x 150cm	3' x 5'
Rolls	EP360	91cm x 18.3m	3' x 60'
Cut lengths	EP36	91cm wide	3' wide



ESD Kumfi Tough

- Static dissipative anti-fatigue mat for use in heavy duty industrial areas.
- Tough deck plate bevelled surface, laminated to sponge base for maximum durability and comfort.
- Integral socket and grounding cord.
- Meets IEC 61340-4-1 (category D1F) measured resistance Rg 10⁶-10⁹Ω, Rp 10⁶-10⁹Ω.
- Electrostatic charge (walking test) meets ISO6356 and EN1815
- Overall height 14.3mm.

	Code	Metric	Imperial
Mats	EK2436	60cm x 91cm	2' x 3'
	EK3660	91cm x 150cm	3' x 5'
Rolls	EK375	91cm x 23m	3' x 75'
Cut lengths	EK36	91cm wide	3' wide






ESD Worktop Matting


- Vinyl work surface mat designed to dissipate static from conductive items placed on it.
- Protects components from damaging static shock by bringing ESD protective materials and personnel to the same electrical potential.
- Use in conjunction with ESD accessories (see below).
- Meets EOS/ESD-S4, measured resistance for work surfaces Rg 10⁷ and Rp 10⁸Ω.
- Electrostatic charge (walking test), meets ISO6356 and EN1815.
- Overall height 6.4mm.



	Code	Size
Rolls	EW3040	76cm x 12.2m
	EW3640	91cm x 12.2m
Cut lengths	EW30	76cm wide
	EW36	91cm wide



Optional 10mm female socket for connection with recommended common grounding point cord.



Further details of the ESD system available on request

FloorMat Grounding Cord with ring terminal - 4.5m	FloorMat Grounding Cord with female socket - 4.5m	Common Point Grounding Cord with ring terminal - 4.5m
Common Point Grounding Cord with female socket - 4.5m	Coil Cord - 1.8m	Wrist Band
Earth Bonding Plug	Heel Grounder	Mat Cleaner

ESD Accessories

- Used in conjunction with ESD worktop matting and anti-static floor mats for safe dissipation of electrostatic charge.
- Specific grounding cords for connecting mats and common points to ground.
- Wrist band and heel grounder ensure effective worker connection.
- Earth bonding plug connects up to three cords to ground.
- Mat cleaner enhances static dissipation properties of mat.

Code	Description
EA0511	FloorMat Grounding Cord - Ring
EA0512	FloorMat Grounding Cord - Socket
EA0521	Common Grounding Point Cord - Ring
EA0522	Common Grounding Point Cord - Socket
EA0531	Coil Cord
EA0542	Wrist Band
EA0551	Earth Bonding Plug
EA0561	Heel Grounder
EA0571	Mat Cleaner 950ml



Diamond Grip

A comprehensive range of anti-slip surfacing products designed to promote floor level safety in the workplace. Suitable for light and heavy foot traffic and available in several different types as listed.

General Purpose

- Self-adhesive anti-slip tape for general use around factories, stairs, ramps etc.
- Water, oil and chemical resistant.
- Available in rolls, tiles or stair tread cleats.

Coarse

- Tough, diamond hard material for heavy duty use - ideal for heavy plant and construction equipment.
- Resistant to clogging.
- Available in rolls, tiles or stair tread cleats.

Aquasafe

- For barefoot comfort and safety in wet areas.
- Textured vinyl top surface and moisture resistant backing.
- Available in rolls, tiles and stair tread cleats.

General purpose, Coarse, Aquasafe

	Metric	Imperial
Rolls	25mm x 18.3m	1" x 60'
	50mm x 18.3m	2" x 60'
	100mm x 18.3m	4" x 60'
	150mm x 18.3m	6" x 60'
	305mm x 18.3m	12" x 60'
	610mm x 18.3m	24" x 60'
Tiles	140mm x 140mm (case of 50)	
	915mm x 18.3m	36" x 60'
Cleats	610mm x 150mm (each)	

Clear anti-slip tape is ideal for prestigious floor areas where appearance is important. NB Appearance is compromised when used with primer adhesive.

Hazard

- General purpose grade anti-slip tape with hazard chevrons for added safety.
- Available in black/yellow or red/white.


	Metric	Imperial
Rolls	50mm x 18.3m	2" x 60'

Colour Range


General Purpose




Coarse



Aqua Safe



Hazard



Aluminium Plates

- Provides anti-slip surfacing on potentially hazardous steps.
- Tough aluminium plate with general purpose anti-slip surface and countersunk screw holes.
- Ideal for industrial gangways and open mesh decking.
- Colour: Black with aluminium border.

Code	Metric	Imperial
DGAP25	114mm x 635mm	4 1/2" x 25"





Conformable

- Suitable for irregular surfaces such as diamond tread plates.
- Foilbacking allows hammering into shape.
- Resistant to petrol and solvents.
- Wide range of uses in industry construction, aircraft etc.
- Colour: black or yellow.

	Metric	Imperial
Rolls	25mm x 18.3m	1" x 60'
	50mm x 18.3m	2" x 60'
	100mm x 18.3m	4" x 60'
	150mm x 18.3m	6" x 60'
	305mm x 18.3m	12" x 60'
	610mm x 18.3m	24" x 60'
Tiles	140mm x 140mm (case of 50)	
Cleats	610mm x 150mm (each)	



Diamond Grip Accessories

Primer/Adhesive

Recommended for areas exposed to water, grease or oil. Especially suitable for low temperatures and exterior applications. Coverage approx 4 square metres per litre.

Edge Sealer

Handy tubes for beading or sealing edges of Diamond Grip to avoid seepage of excessive water, grease or petrol. Also protects edges in high traffic areas. Coverage 30 linear metres.

Code	Metric	Size
DGPA1000	Primer/Adhesive	1 litre tin
DGES150	Edge Sealing Compound	150ml tube
DGS1000	Solvent	1 litre tin




Solvent

Cleaner/degreaser for metal surfaces before application of Diamond Grip. Also for cleaning up of primer/adhesive, edge sealing compound and any tools used during applications.

Glow in the Dark

- Photoluminescent anti-slip tape ideal for emergency exit routes.
- Suitable for indoor or outdoor use.
- Available with or without black chevrons.

Code	Metric	Imperial
DGPL02	50mm x 18.3m	2" x 60'







PVC Cable Protector

- A simple, inexpensive solution to the trip hazard of trailing leads.
- Quick installation with no need to disconnect wires.
- Self adhesive backing adheres to carpets or hard floors.
- Ideal for foot traffic in offices, computer rooms and laboratories.
- Helps to comply with safety regulations.

Code	Colour	Metric	Imperial
CP375BL	Black	75mm x 3m	3" x 10'
CP375GY	Grey	75mm x 3m	3" x 10'
CP375YL	Yellow	75mm x 3m	3" x 10'
CP375BY	Black/Yellow	75mm x 3m	3" x 10'
CP310BL	Black	100mm x 3m	4" x 10'
CP310GY	Grey	100mm x 3m	4" x 10'
CP310YL	Yellow	100mm x 3m	4" x 10'
CP310BY	Black/Yellow	100mm x 3m	4" x 10'



HD Cable Protector

- Tough industrial-grade PVC cable protector, particularly suitable for industrial and building site use.
- Capacity for two 22mm cables or pipes.
- Suitable for use in areas where forklifts and other vehicles are operating.
- Supplied with double-sided tape for easy application to floor.
- Overall height 35mm.

Code	Colour	Metric	Imperial
HD152BL	Black	200mm x 1.5m	8" x 5'
HD152BY	Blk/Yellow	200mm x 1.5m	8" x 5'

Safety Message Mats

- Designed to continually reinforce important workplace safety factors.
- Vibrant images printed onto nylon with vinyl backing and edging.
- Other designs available to order - see pages 12 and 13.
- Overall height 4mm.

Code	Message	Size
SM954	Watch Your Step	90cm x 150cm
SM955	No Smoking	90cm x 150cm
SM957	Safety Starts Here	90cm x 150cm





Knee Saver

- Convenient portable kneeling pad, ideal for on-site maintenance.
- Manufactured from closed cell foam with built-in carrier handle.
- Reduces knee and back pain caused by regular kneeling.
- Weighs only 350g.
- Overall height 25mm.

Code	Metric	Imperial
KS1222	31cm x 55cm	12" x 22"



Antivibe Sheeting

- Cork rubber sheeting for internal and external anti-vibration applications.
- Suitable for use in very low or high temperatures.
- High load bearing capacity and excellent resistance to chemicals, fluids and gases.
- Numerous applications in civil engineering and aeronautical industries.
- Available in four thicknesses as listed.


Code	Size	Thickness
AV10	100cm x 100cm	10mm
AV13	100cm x 100cm	13mm
AV20	100cm x 100cm	20mm
AV25	100cm x 100cm	25mm



Dynamat (see also page 56)

- Virtually indestructible rubber mat for protecting floors and general shock absorption applications.
- Textured top surface provides traction.
- Ideal for glass industry applications and storage of heavy industrial equipment.
- Available in two thicknesses as listed.

Code	Size	Thickness
DM10	120cm x 180cm	10mm
DM17	120cm x 180cm	17mm



catering mats

Floor matting is increasingly used in the food and catering industries to enhance worker comfort and create a safe working environment. The Blue Diamond range contains a selection of products specifically designed for the particular demands of this market.

Anti-fatigue matting is especially important in the food industry, where labour intensive tasks often require long periods of standing on hard floor surfaces. Resilient nitrile rubber products are available for areas where fat and grease may be present.

Anti-slip precautions are also vital in this sector, especially in areas where floors are often wet or greasy. Duckboard systems allow dropped food to fall through and minimise slip hazards.

Footwear cleaning and sanitisation is another key factor in food areas, to prevent spread of bacteria and contamination.





Chef Mat

- Greaseproof rubber anti-fatigue mat for wet or dry use in demanding kitchen applications.
- Underside suction cups and bevelled edges for safety.
- Easy-clean solid surface with no holes or cavities for bacteria to hide.
- Drainage grooves allow liquids and debris to escape.
- Overall height 12mm.

Code	Metric	Imperial
CM3648	90cm x 120cm	3' x 4'



Hygimat

- Resilient rubber anti-fatigue mat, suitable for non-greasy food preparation areas.
- Underside suction cups and bevelled edges for safety.
- Easy-clean solid surface with no holes or cavities for bacteria to hide.
- Drainage grooves allow liquids and debris to escape, leaving surface clean.
- Overall height 12mm.

Code	Metric	Imperial
HM3648	90cm x 120cm	3' x 4'






Ultraflow

- Free-draining anti-fatigue rubber mat.
- Made from grease-resistant 100% nitrile rubber.
- Durable anti-slip surface texture.
- Ideal for kitchens, bars and food preparation areas.
- Overall height 7mm

Code	Metric	Imperial
UF3354	84cm x 136cm	33" x 54"



Workzone Red & Blue

- Provides basic comfort and traction in wet or greasy areas.
- 75% nitrile grease-resistant rubber.
- Moulded bevels on all four sides for trip resistance and easy cart access.
- Large drainage holes and raised studs allow fluids and debris to fall through, leaving surface clear.
- Easy to handle for cleaning purposes.
- Overall height 13mm.

Code	Metric	Imperial
WZ3660	91cm x 152cm	3' x 5'
WZ310	91cm x 297cm	3' x 10'
WZ320	91cm x 594cm	3' x 20'

Sanibrush

- Ideal for use at entrances to food processing areas.
- Ramped edges retain applied disinfectant solution.
- Raised nibs compress under foot traffic, bringing footwear into contact with disinfectant and providing automatic scrubbing action.
- Overall height 14mm.


Code	Metric	Imperial
SB2432	60cm x 80cm	24" x 32"
SB3239	80cm x 100cm	32" x 39"





Workzone Deluxe

- Tough rubber duckboard matting, offering exceptional comfort and safety in heavy duty applications.
- Red or blue 75% nitrile grease resistant rubber suitable for use in food areas.
- Straight edges allow mats to be joined in both directions using connectors, to cover large areas around machinery.
- Drainage holes and raised studs allow fluid and debris to fall through, leaving a clear surface.
- Designed to withstand harsh chemicals and yield a long service life.
- Aggressive slip-resistant surface.
- Overall height 20mm



Code	Colour	Size
WD3660	Mat	91cm x 152cm
WDC	Connector - Red or Blue	
WD36B	Bevel - Yellow 91cm long	
WD60B	Bevel - Yellow 152cm long	




Bevel System. Attachable vinyl bevels are available in two sizes. These can be supplied with internal or external corners, or straight ends to suit individual requirements. A simple sketch, showing dimensions and positions of bevels will ensure that appropriate components are supplied.



Cushion Link Open Top

- Superb ergonomic comfort and safety in heavy duty dry or wet food areas.
- Mats can be interlocked and edged using the simple bevel system to create any mat size and shape.
- Open top allows liquids to drain away, leaving a safe work surface.
- Manufactured from 75% nitrile rubber.
- Overall height 19mm.



Code	Type	Size
CLO36NR	Nitrile Red Mat	91cm x 91cm
CL36RB	Red Bevel	91cm long



leisure mats

Floor matting has numerous applications in the leisure industry where underfoot safety and comfort are of paramount importance. The Blue Diamond range contains a comprehensive selection of products designed to enhance sports and leisure environments.

Duckboard type matting can be used to reduce slip hazards around swimming pools and other wet areas, especially important in public facilities where old or very young persons may be at risk.

Rubber matting in gymnasium areas provide shock absorption to protect floors and equipment, as well as improving noise control and comfort.

The use of cellular rubber matting in outdoor play areas, public footpaths and golf courses provide a simple solution to erosion control and safety requirements.












Kumfi Step

- Free draining matting for bare foot comfort and safety in wet areas.
- Anti-bacterial treated plastic prevents growth of fungi and bacteria.
- Ideal for swimming pool surrounds and locker rooms.
- Connector clips available for larger widths.
- Overall height 9mm.

Code	Metric	Imperial
KM250	60cm x 15m	2' x 50'
KM2436	60cm x 90cm	2' x 3'
KMC	Connectors (Pack of 40 sufficient to join 15m length)	
Cut lengths		
KM24	60cm wide	2' wide



Trapwell Comfort

- Free-draining reversible matting for safety in wet areas.
- Soft vinyl loops for barefoot comfort.
- Suitable for most leisure applications.
- Overall height 8mm.

Code	Metric	Imperial
TC320	90cm x 6m	3' x 20'
Cut lengths		
TC36	90cm wide	3' wide









Interflex Splash

- Strong PVC duckboard matting for hygiene, comfort and safety in wet areas.
- Provides drainage in all directions, eliminating puddles.
- Resistant to bacterial and fungal growth.
- Suitable for indoor and outdoor use.
- Connector clips for side or end joining.
- Overall height 12mm

	Code	Metric	Imperial
Rolls	IF1633	40cm x 10m	16" x 33'
	IF2033	50cm x 10m	20" x 33'
	IF2433	60cm x 10m	24" x 33'
	IF3233	80cm x 10m	32" x 33'
	IF3933	100cm x 10m	39" x 33'
	IF4733	120cm x 10m	47" x 33'
Cut lengths	IFC	Connectors	
	IF24	60cm wide	24" wide
	IF32	80cm wide	32" wide
	IF39	100cm wide	39" wide








Interflex Leisure

- Strong, flexible PVC duckboard matting for hygiene, comfort and safety in wet areas.
- Provides drainage in all directions, eliminating puddles.
- Resistant to bacterial and fungal growth.
- Suitable for indoor and outdoor use.
- Overall height 12mm.



	Code	Metric	Imperial
Rolls	IL2033	50cm x 10m	20" x 33'
	IL3933	100cm x 10m	39" x 33'
	IL4833	120cm x 10m	48" x 33'
Cut lengths	IL20	50cm wide	20" wide
	IL39	100cm wide	39" wide
	IL48	120cm wide	48" wide



Interflex Style

- Heavy Duty PVC slatted duckboard with unique cross-ribbed design for extra barefoot comfort.
- Free draining surface, ideal for wet areas.
- Resistant to bacterial and fungal growth.
- Simple installation and removal
- Resistant to commercial cleaning products.
- Overall height 12mm.

	Code	Metric	Imperial
Rolls	IS2433	60cm x 10m	24" x 33'
	IS3233	80cm x 10m	32" x 33'
	IS3933	100cm x 10m	39" x 33'
Cut lengths	IS24	60cm wide	24" wide
	IS32	80cm wide	32" wide
	IS39	100cm wide	39" wide





Kumfi Tile PVC




- Versatile interlocking duckboard tile system with high grip surface suitable for indoor and outdoor dry or wet areas.
- Soft PVC construction provides barefoot comfort and safety for swimming pools, showers, changing rooms and numerous other leisure applications.
- Free-draining surface keeps feet clear of standing water.
- Bevelled edge system provides easy wheeled access.
- Overall height 12mm.

Code	Description	Metric	Imperial
KT1212	Tile	30cm x 30cm	12" x 12"
KT1202	Bevel Edge	30cm x 5cm	12" x 2"

Wear Resistance

Slip Resistance

Anti Fatigue







- Simple and effective interlocking system ensures a firm, quick joint which can be easily, but not accidentally released.
- Bevelled edge component moulded with corner section which can be simply removed with a sharp knife when not required.
- Can be laid to fit awkward shapes in any colour combination.
- System allows rapid extension or adaption of duckboard areas and individual damaged tiles can be easily replaced.



Diamond Grip Aquasafe

- Self adhesive anti-slip surfacing for barefoot comfort and safety in wet areas.
- Textured vinyl top surface and moisture resistant backing.
- Available in rolls, tiles and stair cleats as listed below.

Description	Metric	Imperial
18.3m Rolls	25mm	1"
	50mm	2"
	100mm	4"
	150mm	6"
	305mm	12"
	610mm	24"
	915mm	36"
Tiles	14cm x 14cm	5 1/2" x 5 1/2"
Cleats	15cm x 61cm	6" x 24"




Bath or Shower shape available

Shower & Bath mats

- Slip resistant rubber safety mats for shower trays and baths.
- Textured top surface with drainage holes and underside suction cups to prevent creeping.
- Ideal for elderly or disabled persons.
- Budget priced for domestic and commercial use.

Code	Metric	Imperial
SM2121 Shower mat	53cm x 53cm	21" x 21"
BM1428 Bath mat	36cm x 72cm	14" x 28"





Gym Mat

- Loose-lay interlocking floor tiles for noise and shock absorption in gymnasiums and weight training areas.
- Made from 100% rubber with bevelled edges and textured surface for safety.
- Modular format fits any area and can be easily relocated.
- Reduces the risk of impact related injuries.
- Suitable for most sports facilities, including ice arenas.
- Easy to clean and maintain.
- Overall height 10mm.



Example mat shown below covers area 180cm x 180cm (6' x 6') using Gym mats, corners and edges.



Code	Metric	Imperial
GM2424 Tile	60cm x 60cm	24" x 24"
GM1212 Corner	30cm x 30cm	12" x 12"
GM1224 Border	30cm x 60cm	12" x 24"



Dynamat

- Heavy duty loose-lay mats for floor protection and shock absorption in sports facilities.
- Made from dense rubber with textured top surface for traction.
- Numerous other uses, including skating rinks, golf courses, stables etc.
- Available in two thicknesses as listed below.

Code	Size	Thickness
DM10	120cm x 180cm	10mm
DM17	120cm x 180cm	17mm





Greenskeeper

- Natural rubber matting for discreet soil retention and erosion control on golf courses and other outdoor public pathways.
- Moulded anti-slip cellular structure allows grass to penetrate, establishing a firm bond to the ground and effectively hiding the matting.
- Provides safety and traction on steep paths.
- Simple and economical installation.
- Easy maintenance - grass can be cut with a conventional mower once established.
- Overall height 22mm.

Code	Size
GK1015	100cm x 150cm



The pictures on this page show a well-established golf course installation, after less than one year. The matting has become almost invisible, restoring the natural appearance of the environment whilst providing ongoing safety and erosion protection.





Groundsafe

- Impact absorbing natural rubber matting for safe surfacing in playgrounds and other outdoor public areas.
- Moulded anti-slip cellular structure allows grass to penetrate, establishing a firm bond to the ground and effectively hiding the matting.
- Enhanced ground drainage and erosion protection in areas of frequent foot traffic.
- Simple installation with no dangerous chemicals or adhesives.
- Proven alternative to wet-pour or rubber tile safety surfaces.
- Easy maintenance - grass can be cut with a conventional mower once established.
- Overall height 23mm.



Code	Size
GS1015	100cm x 150cm



Product Testing


This mat type has been independently tested by an accredited laboratory to give the following results.

Critical Fall Height : 2.8m

Tested in accordance with BSEN 1177-1998

Ignition : Best flammability safety category

Tested in accordance with BS7188 : 1998 Method 7.





The effectiveness and appearance of carpet mats can be maintained by regular cleaning. This also prevents the abrasive effect of dirt lodged in the fibres, thus prolonging the mats' life. The following cleaning methods will ensure that walked-in dirt is minimised and a good first impression is created at all times.

Interior Mats

- 1) Vacuum daily
- 2) Extraction clean periodically

Machine washable mats can be be laundered if required, but the above methods can also be used.

Exterior and Recessed Mats

- 1) Vacuum daily
- 2) Vacuum, sweep or hose down underneath weekly – this is most important as the mats can self-destruct if grit and debris are left underneath.

Periodic pressure washing or steam cleaning is also strongly recommended for outdoor mats.

CHEMICAL RESISTANCE CHART



This chart is designed to assist you in selecting the best mat for any application where chemicals may be present.

- Indicates acceptable usage
- Indicates not acceptable usage
- N/T Indicates no test available

These ratings are to be used as a guide only – product samples are available and recommended for on-site testing. Please note that tests are done at room temperature and higher temperatures can significantly change these ratings.

	Liquid	Liquid	Liquid	Liquid	Solid	Liquid/Gas	Solid/Liquid	Liquid	Liquid	Liquid	Liquid	Liquid	Gas	Liquid	Liquid	Solid	Liquid	Liquid/Gas	Liquid	Liquid	Liquid	Liquid
	Acetaldehyde (40% sol.)	Acetic Acid (50% sol.)	Acetic Anhydride	Acetone	Aluminium Hydroxide	Ammonia	Animal Fats/Greases/Oil	Anti-Freeze (Ethylene Glycol)	Benzene	Bleach	Boric Acid	Brake Fluid	Bromine	Butyl Acetate	Butyl Alcohol	Calcium Chloride	Carbon Tetrachloride	Chloroform	Cooking Oils (Veg, Olive etc-dilute)	Cyclohexanol	Cyclohexanone	Dibutyl Phthalate
ASTM Switchboard Matting	x	✓	x	x	✓	x	x	✓	x	✓	✓	x	✓	x	✓	✓	x	x	x	✓	x	x
Cellmax	✓	x	x	x	✓	✓	x	✓	x	✓	✓	x	x	x	✓	✓	x	x	x	x	x	x
Chef Mat	x	x	x	x	✓	✓	✓	✓	x	✓	✓	x	x	x	✓	✓	x	x	✓	✓	x	x
Chequer Plate Runner	x	✓	x	x	✓	x	x	✓	x	✓	✓	x	✓	x	✓	✓	x	x	x	✓	x	x
Cushion Link (open/solid top) Nitrile FR	x	x	✓	x	✓	✓	✓	✓	x	✓	✓	x	x	x	✓	✓	x	x	✓	x	x	x
Cushion Link (open/solid top) General Purpose	✓	x	x	x	✓	✓	x	✓	x	✓	✓	x	x	x	✓	✓	x	x	x	x	x	x
Cushion Link (open/solid top) Nitrile FR Abrasive	x	x	✓	x	✓	✓	✓	✓	x	✓	✓	x	x	x	✓	✓	x	x	✓	x	x	x
Cushion Link Open Top Brake Fluid Resistant FR	✓	✓	✓	✓	N/T	N/T	x	✓	x	✓	x	✓	x	x	✓	✓	x	x	x	x	✓	✓
Cushion Link Open Top Nitrile Anti-Bacterial	x	x	✓	x	✓	✓	✓	✓	x	✓	✓	x	x	x	✓	✓	x	x	✓	x	x	x
Cushion Link Open Top Nitrile Red	x	x	x	x	✓	✓	✓	✓	x	✓	✓	x	x	x	✓	✓	x	x	✓	✓	x	x
Cushion Link Solid Top Conductive Nitrile	x	x	✓	x	✓	✓	✓	✓	x	✓	✓	x	x	x	✓	✓	x	x	✓	x	x	x
Cushion Link Solid Top Nitrile	x	x	x	x	✓	✓	✓	✓	x	✓	✓	x	x	✓	✓	✓	x	x	✓	✓	x	x
Cushion Link Solid Top Static Dissipative Nitrile	x	x	✓	x	✓	✓	✓	✓	x	✓	✓	x	x	x	✓	✓	x	x	✓	x	x	x
Diamond Interlock	✓	x	x	x	✓	✓	x	✓	x	✓	✓	x	x	x	✓	✓	x	x	x	x	x	x
Dynamat	✓	x	x	x	✓	✓	x	✓	x	✓	✓	x	x	x	✓	✓	x	x	x	x	x	x
Ecosorb	x	x	✓	x	✓	✓	✓	✓	x	✓	✓	x	x	x	✓	✓	x	x	✓	x	x	x
Ergomax Super	x	x	✓	x	N/T	✓	✓	✓	x	✓	✓	x	x	N/T	N/T	✓	N/T	x	✓	N/T	x	x
Ergotred	✓	x	x	x	✓	✓	x	✓	x	✓	✓	x	x	x	✓	✓	x	x	x	x	x	x
ESD Kumfi Pebble	x	✓	x	x	✓	x	x	✓	x	✓	✓	x	x	x	✓	✓	x	x	✓	x	x	x
ESD Kumfi Tough	x	✓	x	x	✓	x	x	✓	x	✓	✓	x	✓	x	✓	✓	x	x	✓	x	x	x
ESD Worktop Matting	x	✓	x	x	✓	x	x	✓	x	✓	✓	x	x	x	✓	✓	x	x	✓	x	x	x
Happy Feet	x	N/T	✓	x	N/T	✓	✓	✓	x	N/T	N/T	N/T	x	N/T	N/T	N/T	N/T	✓	x	x	x	x
Hygimat	✓	x	x	x	✓	✓	x	✓	x	✓	✓	x	x	x	✓	✓	x	x	x	x	x	x
Interflex, Interflex Hazard, Interflex Glow, Interflex Splash	x	✓	x	x	✓	✓	N/T	✓	x	✓	✓	x	✓	x	✓	✓	x	x	✓	x	x	x
Interflex Grip	✓	✓	x	✓	✓	✓	N/T	✓	x	✓	✓	✓	x	✓	✓	N/T	x	x	✓	x	x	x
Interflex Style	x	✓	x	x	✓	✓	N/T	✓	x	✓	✓	x	✓	x	✓	✓	x	x	✓	x	x	x
Kumfi Diamond / Kumfi Bubble	x	✓	x	x	✓	x	x	✓	x	✓	✓	x	x	x	✓	✓	x	x	✓	x	x	x
Kumfi Pebble / Kumfi Rib	x	✓	x	x	✓	x	x	✓	x	✓	✓	x	x	x	✓	✓	x	x	✓	x	x	x
Kumfi Step	✓	✓	x	✓	✓	✓	N/T	✓	x	✓	✓	✓	x	✓	✓	N/T	x	x	✓	x	x	x
Kumfi Tile PVC	x	✓	x	x	✓	✓	N/T	✓	x	✓	✓	x	✓	x	✓	✓	x	x	✓	x	x	x
Kumfi Tile Polypropylene	✓	✓	x	✓	✓	✓	N/T	✓	x	✓	✓	✓	x	✓	✓	N/T	x	x	✓	x	x	x
Kumfi Tough & Kumfi Tough Super	x	✓	x	x	✓	x	x	✓	x	✓	✓	x	✓	x	✓	✓	x	x	✓	x	x	x
Oilzone & Oilzone Custom	x	x	✓	x	✓	✓	✓	✓	x	✓	✓	x	x	x	✓	✓	x	x	✓	x	x	x
PVC Cable Protector / HD Cable Protector	x	✓	x	x	✓	✓	N/T	✓	x	✓	✓	x	✓	x	✓	✓	x	x	✓	x	x	x
Plate Finish Rubber	✓	x	x	x	✓	✓	x	✓	x	✓	✓	x	x	x	✓	✓	x	x	x	x	x	x
Rib Mat Electrical	✓	x	x	x	✓	✓	x	✓	x	✓	✓	x	x	x	✓	✓	x	x	x	x	x	x
Rubber Rib Mat	✓	x	x	x	✓	✓	x	✓	x	✓	✓	x	x	x	✓	✓	x	x	x	x	x	x
Safety Scrape	x	N/T	✓	x	N/T	✓	✓	✓	x	N/T	N/T	N/T	x	N/T	N/T	N/T	N/T	✓	x	x	x	x
Texture Top	✓	x	x	x	✓	✓	x	✓	x	✓	✓	x	x	x	✓	✓	x	x	x	x	x	x
Tuffzone	x	✓	x	x	✓	✓	N/T	✓	x	✓	✓	x	✓	x	✓	✓	x	x	✓	x	x	x
Workzone Black and Workzone Deluxe Black	✓	x	x	x	✓	✓	x	✓	x	✓	✓	x	x	x	✓	✓	x	x	x	x	x	x
Workzone Red & Workzone Deluxe Red or Blue	x	x	x	x	✓	✓	✓	✓	x	✓	✓	x	x	x	✓	✓	x	x	✓	✓	x	x



All Blue Diamond products have been manufactured to exceptionally high standards and performance tested, enabling them to be offered to today's demanding market with complete confidence.

The performance icons for each product reflect not only the results of these tests but also 'real life' feedback from users over many years. They also help to guide a prospective client to the appropriate choice for their application.

Many other tests including flame retardancy, ESD performance, voltage resistance and critical fall height are detailed on specification sheets which are available on request.

Another important feature of most of our rubber anti-fatigue mats is that they are silicone free and therefore wholly suitable for use in vehicle painting areas.

Entrance Mats



Ratings are given depending on the amount of moisture per square metre which can be absorbed.



A test to simulate wear is applied and the appropriate ratings are given on the product icons.



The higher the rating, the greater the weight of dust and dirt is collected in the particular mat. This capability is greatly enhanced by the design and quality of the yarns used in the manufacture of the mats.

Industrial Mats



ASTM D3844-92. An accelerated wear test whereby total loss of material weight is measured when subjected to 5000 cycles under an abrasive wheel.



ASTM C1028-89 & DIN-E-51130, 51097. These tests measure the force required to cause slippage of a local load across the surface of the material. The coefficient of friction ratio is the force divided by the weight. The higher the performance icon, the greater the coefficient of friction ratio, thus the greater the slip resistance of the mat.



ASTM D3574. This is a simple deflection/compression test which gives a rating depending on the difference in height of a mat before and during the time a weight has been placed on it. The greater the difference, the better the anti-fatigue properties and overall product performance.



Environmental Policy

Blue Diamond has a long term commitment to protecting the environment. Recycled and recycleable materials are used where possible and manufacturing processes are being continually updated to ensure that this is maintained. All Blue Diamond sponge products are D.O.P (Dioctyl Phthalate) free. This is a toxic additive used to cheapen vinyl compounds. As it is released into the air, soil, liquids or foods it can cause serious health problems.



A	Page
ASTM Switchboard Matting	39
Anti-Fatigue Mats	21-37, 40, 47-49
Anti-Static Mats	26, 27, 33, 40, 41
Antivibe Sheeting	45
Aquasorb	7
Aquasorb Super	7
Accessories	18
Aluminium Plates	42
Abrasive Coated Mats	26, 27, 29
Anti-Slip Mats	15, 26, 27, 29, 33, 36, 50
Anti-Slip Tapes	42, 43, 55

B	Page
Barefoot Matting	51-55
Bath Mat	55
Brushway	6

C	Page
Cable Management	44
Cable Protectors	44
Carpet Protector	19
Catering Mats	46-49
Cellmax	31
Chef Mat	47
Chemical Resistance Chart	60, 61
Chequer Plate Runner	38
Chevron	6
Circular Mats	5, 12
Coir	11
Conductive Anti-static Matting	26, 40
Cotton Mats	10
Critical Fall Height Tested Mats	58
Cushion Link Open Top	27, 49
Cushion Link Solid Top	26

D	Page
Dayton	9
Decontamination Mats - Peelable	17
Decorguard	11
Desk Mat	19
Diamond Grip	42-43, 55
Diamond Grip Aquasafe	55
Diamond Interlock	24
Disinfectant Mats	48
Duckboards	27-31, 34-37
Dualguard Super	8
Dynamat	45, 56

E	Page
ESD Accessories	41
ESD Kumfi Pebble	40
ESD Kumfi Tough	40
ESD Worktop Matting	41
Ecosorb	32
Edging Service	18
Electrical Safety Matting	39
Entrance Mats	4-19
Ergomax Super	32
Ergotred	25

F	Page
Fingerbrush	16
Food Area Mats	46-49
Footprints Promotional Mats	13

G	Page
Golf Course Matting	57
Greenskeeper	57
Ground Stabilization	57, 58
Groundsafe	58
Gym Mat	56

H	Page
Happy Feet	33
Hygimat	25, 47

I	Page
Industrial Mats	20-45
Insert Brushes	14
Interflex	34
Interflex Glow	35
Interflex Grip	35
Interflex Hazard	34
Interflex Leisure	53
Interflex Splash	52
Interflex Style	53
Interlocking Duckboard	26-29, 31, 36, 37

K	Page
Knee Saver	45
Kumfi Bubble	22
Kumfi Diamond	22
Kumfi Pebble	21
Kumfi Rib	21
Kumfi Step	51
Kumfi Tile PVC	36, 37, 54
Kumfi Tile Polyethylene	37
Kumfi Tough	23
Kumfi Tough Super	23

L	Page
Laboratory Mats	17, 24, 25, 32
Launderable Mats	5, 8, 12
Leisure Mats	50-58
Lexington	10
Logo Mats	12, 13
Loop Pile Mats	16
Lustre	5

M	Page
Mat Care & Maintenance	59
Modular Anti-Fatigue Mats	25-29, 31, 38

N	Page
Nature Grip	18
Nitrile Rubber Mats	26-28, 32, 33, 48, 49

O	Page
Octaguard	14
Octaguard Profile	14
Octaguard Profile Bevelled	14
Oilzone	28
Oilzone Custom	28
Outdoor Scraper Mats	14-16

P	Page
PVC Backed Coir	11
PVC Cable protector	44
Peelable Mats	17
Plate Finish Rubber	38
Playground Matting	58
Plushway	5
Printed Mats	12, 13, 44
Promotional Mats	12, 13
Protection Film	19

R	Page
Reversible Mats	51
Richmond	10
Rubber Backed Mats	5, 7, 12
Rubber Sheeting	38
Rib Mat Electrical	39
Rubber Rib Mat	38
Rug-to-Rug	18

S	Page
Safety Message Mats	44
Safety Scrape	15, 33
Sanibrush	48
Scraper	16
Sentry	15
Shaped Mats	5, 12
Shower Mat	55
Soilscraper	15
Sorbent Sheet	32
Static Dissipative Mats	26, 40
Sticky Step Plastic	17
Sticky Step Textile	17
Swarf Mats	15, 33
Switchboard Matting	39

T	Page
Texture Top	24
Trapwell Comfort	51
Tripleguard	8
Tuffzone	29

U	Page
Ultraflow	48

V	Page
Vinyl Backed Mats	5, 6, 8, 9, 10, 16
Vinyl Sponge Mats	21-23

W	Page
Wash-Down Area Mats	30, 36-39, 47, 48
Washable Mats	5, 9, 10, 12
Washington	9
Welding Mats	24, 26, 33
Well & Foyer Matting	11
Wet Area Anti-Slip Mats	33, 35, 36, 55
Wiping Mats	5, 8, 10
Workzone	30, 48
Workzone Deluxe	31, 49
Worktop Mats	38
Worktop Static-Dissipative Mats	41



bluediamond

Blue Diamond Industrial Supplies

Hatton, Peterhead AB42 0RX.

T 01779 841899

F 01779 841643

E sales@bluediamond.uk.com

W www.bluediamond.uk.com