Product Data Sheet

Diamond Interlock

Diamond Interlock is a heavy duty, interlocking rubber mat designed for quick and easy on-site installation in dry industrial environments. The mats are available as centre or end pieces for continuous lengths with bevelled edges to all sides for added safety. Along with being a very tough and durable mat, the moulded air pockets to the underside provide extra traction and ergonomic benefits.

Features

- **Typical applications**: Suitable for workshops, production lines, assembly areas and picking and packing stations.
- **Material**: Natural and recycled rubber.
- **Cleaning**: Wash with cold water, use vacuum cleaner, or use a pressure pump to remove dirt.
- **Sustainability**: Nature friendly, biodegradable and recyclable. REACH compliant. Contributes to a cleaner environment by reducing the need to use cleaning chemicals.
- **Warranty**: 12 months.

Black only

Suitable for indoor use

For more information about this product or, to place an order **click here**

Code	Metric	Imperial	Thickness	Weight	Type	Colour
DC2831	71cm x 78cm	2' x 3'	14mm	4.3kg	Centre tile	Black
DE2831	71cm x 78cm	2' x 3'	14mm	4.3kg	End tile	Black

Please note, all Imperial sizes have either been rounded up or down to the nearest whole number

Get in touch
+44 (0) 1779 841 899
sales@bluediamond.uk.com
www.bluediamond.uk.com

bluediamond

Diamond Interlock

Technical Specification	
Slip resistant:	Great slip resistance to level 2
Anti-fatigue:	Excellent anti-fatigue properties, resistant to level 3
Wear resistant:	Great wear resistance to level 2, suitable for medium to high footfall
Connectable:	Yes, the mats are modular and interlocking
Disability friendly:	Yes, the mats have ramped edges making them suitable for wheelchair users
Dry area:	Yes
Wheeled area:	Yes, suitable for use by wheeled trolleys
Environment:	Suitable for indoor use
Impact resistant:	Yes
Product testing:	◆ Tensile strength: 3-3.5 Mpa ◆ Hardness: 55+ Shore A ◆ DIN abrasion loss mm^3: 200 - 250% ◆ Elongation at break: 200-250%
Sustainability:	◆ Nature friendly, biodegradable and recyclable ◆ REACH (Registration, Evaluation, Authorisation and Restrictions of Chemicals) ◆ Contributes to a cleaner environment by reducing the need to use cleaning chemicals
Temperature resistance:	-20°C to +130°C
Cleaning:	Wash with cold water, use vacuum cleaner, or use a pressure pump to remove dirt. The use of hard detergents is not recommended